


REBEL

40



REBEL 40





IT'S JUST YOU, THE WAVES, AND A DIRECTION.
GO SOMEWHERE ELSE, IGNORE THE NOISE, IGNORE WHAT
EVERYBODY WANTS YOU TO DO. DRAW A LINE BETWEEN
POWER, GRAVITY, STYLE, GRACE. THE DIMENSION OF YOUR
INDIVIDUALITY IS EXPECTING YOU. YOUR CHOICE MATTERS.
PUSH BEYOND THE LIMITS AND STILL SPEAK SOFTLY.
EVERYONE WILL BE LISTENING TO THE
CHORUS OF THE WAVES AND THE WIND.

IT'S FOR YOUR MIND

Dive into the warm embrace of materials,
enjoy the atmosphere of a place that exists
only for you. Warmth of perfumes and lights,
softness of fabrics. It's for your eyes,
it's for your mind.







UNDISCLOSED DESIRE

Don't be too hard, the future is clear.
A treasure of sensations, a saucerful
of secrets. The direction lies in your heart,
it's written in gold on a blue sea.
Stand from the crowd, ride the wind, and
shout your undisclosed desires out loud.











FUTURE

The veil of mist that shrouded the great sea has started to dissolve and the salty breeze of a new world is rolling up, whispering its message. The perennial dance of elements and rules will pause for a second, as soon as you'll make your stand into the future, into decisions, into the silence of light.






PERSONAL DETAILS


REBEL 40 INBOARD

MAIN DECK



Scala 1:100


LOWER DECK



Scala 1:100


REBEL 40 OUTBOARD

MAIN DECK



Scala 1:100

LOWER DECK



Scala 1:100


REBEL 40

INBOARD | OUTBOARD



REBEL 40

Rebel 40 combines style, dynamism, and comfort as never before. Rediscover your roots. Experience the sea, turning wishes into reality.

INBOARD PROFILE



OUTBOARD PROFILE



TECHNICAL SPECIFICATIONS	INBOARD	OUTBOARD
Overall length	12,35 mt 40'6	10,81 m + bracket 35'6 + bracket
EC certifying length	10,78 m 35'4	10,78 m 35'4
Max Beam	3,95 m 12'12	3,95 m 12'12
Draft (to the prop)	0,85 m (1,10 m) 2'9 (3'7)	0,85 m (1,10 m) 2'9 (3'7)
Tubes	D shape (foam filled antishock)	D shape (foam filled antishock)
Hull type	V Hull	V Hull
Dead rise	19,2°	19,2°
Dry weight with standard engines	8,5 t	8,0 t
Fuel tank capacity	2 x 550 L 2 x 145 gal	2000 L 528 gal
Water tank capacity	220 L 58 gal	220 L 58 gal
Waste tank capacity	52 L 14 gal	52 L 14 gal
Homologation category	CE - B	CE - B
Person capacity	16	16
Sleeping accomodation	4	4
Maximum installable power	588 kW	882 kW
Suggested Engine	2 x Volvo D6 380 hp Diesel	2 x Mercury Verado V12 600 hp
Transmission	Stern Drive	Outboards
Max speed	42 kn	N.A.
Cruise speed	28 / 32 kn	N.A.
Consumption (speed)	80 L/h (28 kn) 21 gal/h (28 kn)	N.A.
Range at cruise speed	390 NM	N.A.

Project	Sacs Tecnorib
Design	Christian Grande Design Works

REBEL IS A BRAND OF SACS TECNORIB S.P.A.

SACS TECNORIB S.P.A.

Administrative headquarter:

Via Don Locatelli, 51 - 20877 Roncello (MB) Italy

Phone: +39 0396885489

E-mail: info@sacstecnorib.com

The images are included for illustrative purposes,
are purely indicative and do not constitute a contractual element.

C40_01 - 08/23 REV 1.0

